

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	IS&R	L1	2094	(385/92-94).CCLS.	US-PGPUB; USPAT; USOCR	2006/0 2/11 08:59			
2	IS&R	L2	6332	((257/99) or (257/678) or (257/692) or (257/693) or (257/698)).CCLS.	US-PGPUB; USPAT; USOCR	2006/0 2/11 08:59			
3	BRS	L3	18565	coaxial near5 (input or inputs or signal or signals or rf or driving)	US-PGPUB; USPAT	2006/0 2/11 08:59			
4	BRS	L4	94133	(center or inner) near5 (conductor or conductors or pin or pins)	US-PGPUB; USPAT	2006/0 2/11 08:59			
5	BRS	L5	7962	(shielded or shielding) near3 (input or inputs or pin or pins or conductor or conductors or terminal or terminals)	US-PGPUB; USPAT	2006/0 2/11 08:59			
6	BRS	L6	3146	(shielded or shielding or insulator or dielectric) near5 (microstrip or stripline)	US-PGPUB; USPAT	2006/0 2/11 08:59			
7	BRS	L7	186	L1 and (L2 or L3 or L4 or L5 or L6)	US-PGPUB; USPAT	2006/0 2/11 08:59			
8	BRS	L8	34	L2 and (optoelectronic or photodiode or electrooptic or ((laser or light) adj2 diode)) and (L3 or L4 or L5 or L6)	US-PGPUB; USPAT	2006/0 2/11 08:59			
9	BRS	L9	18093	(optoelectronic or optical or photodiode or electrooptic or ((laser or light) adj2 diode)) near3 (package or packages or housing or housings or module or modules).ti,ab.	US-PGPUB; USPAT; EPO; JPO	2006/0 2/11 08:59			

10/073963 (update)

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
10	BRS	L10	329	L9 same (coaxial or (high adj frequency) or ghz or gigahertz)	US-PGPUB; USPAT; EPO; JPO	2006/02/11 08:59			
11	BRS	L11	11420	(internal or inside) near3 (shields or shielding or barrier or barriers)	US-PGPUB; USPAT; EPO; JPO	2006/02/11 08:59			
12	BRS	L12	12308	(cover or lid) near3 (shields or shielding or barrier or barriers)	US-PGPUB; USPAT; EPO; JPO	2006/02/11 08:59			
13	BRS	L13	116	(L1 or L9) and (L11 or L12)	US-PGPUB; USPAT; EPO; JPO	2006/02/11 08:59			
14	BRS	L14	644	L7 or L8 or L10 or L13	US-PGPUB; USPAT; EPO; JPO	2006/02/11 09:00			
15	BRS	L15	112	14 and @pd>"20041215"	US-PGPUB; USPAT; EPO; JPO	2006/02/11 09:00			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	2496	(cover or lid) with (shield or shielding) with (wall or walls)	US-PGPUB; USPAT	2006/0 2/11 11:38			
2	BRS	L2	31	submount with (shield or shielding or shields or barriers)	US-PGPUB; USPAT	2006/0 2/11 11:39			
3	BRS	L3	24133	(transmission or signal) with pins	US-PGPUB; USPAT	2006/0 2/11 11:39			
4	BRS	L4	1	1 and 2 and 3	US-PGPUB; USPAT	2006/0 2/11 11:40			
5	BRS	L5	21	(cover or lid) and 2	US-PGPUB; USPAT	2006/0 2/11 11:53			
6	BRS	L6	10	submount with 3	US-PGPUB; USPAT	2006/0 2/11 11:55			
7	BRS	L7	210	submount and (cover or lid) and base and (plastic or resin or polymer)	US-PGPUB; USPAT	2006/0 2/11 11:55			
8	BRS	L8	11	7 and 3	US-PGPUB; USPAT	2006/0 2/11 12:10			
9	BRS	L9	1	1 and 3 and submount	US-PGPUB; USPAT	2006/0 2/11 12:11			
10	BRS	L10	1	1 and submount and base	US-PGPUB; USPAT	2006/0 2/11 12:11			

(interference)

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
70	11	BRS	L11	3873	(cover or lid) with (cavity or recess) with (walls or sidewalls)	US-PGPUB; USPAT	2006/02/11 12:11		
70	12	BRS	L12	5	11 and submount and 3	US-PGPUB; USPAT	2006/02/11 12:13		
70	13	BRS	L13	9	11 and submount and base	US-PGPUB; USPAT	2006/02/11 12:19		
72	14	BRS	L15	1	submount with (ground near3 (bump or bumps))	US-PGPUB; USPAT	2006/02/11 12:24		
	15	BRS	L16	4137	base with (thermal or thermally) with plate	US-PGPUB; USPAT	2006/02/11 12:25		
	16	BRS	L17	59	16 and (cover or lid) and 3	US-PGPUB; USPAT	2006/02/11 12:25		
75	17	BRS	L18	33	17 not (base adj plate)	US-PGPUB; USPAT	2006/02/11 12:26		
	18	BRS	L20	10	18 not beihoff.in.	US-PGPUB; USPAT	2006/02/11 12:30		
	19	BRS	L21	6175	base with (flange or flanges) with (hole or holes)	US-PGPUB; USPAT	2006/02/11 12:30		
82	20	BRS	L22	25	21 and (cover or lid) and 3	US-PGPUB; USPAT	2006/02/11 12:34		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
21	BRS	L23	7	21 and (cover or lid) and submount	US-PGPUB; USPAT	2006/02/11 12:34			

82-

.....